Roads and Grizzlies What Do We Know So Far?

Rob Ament
Senior Conservationist
Center for Large Landscape Conservation

Road Ecology Program Manager
Western Transportation Institute
Montana State University


Dr Tony Clevenger Harvey Heights, Alberta

Dr. Marcel Huijser Missoula, MT





More than 50% of the planet now human-dominated landscapes



Moving in the Anthropocene: Global reductions in terrestrial mammalian movements








Fig. 1 Locations from the GPS tracking database and the Human Footprint Index.

Tucker et al. 2018. Science, 359:466-469

Connectivity = Circulatory System of Nature



Some Ecological Impacts of Roads and Rails









National Park Poster: 1930's

Traffic Volume: Barrier Thresholds

 In Montana, USA, Waller et al. (2005, 2015) used radio collars and traffic data, and found that:

traffic >100 VPH was a complete barrier for grizzly bears

 Thresholds like these can be used to plan when and where to implement mitigation, especially as traffic volumes increase over time.




TRAFFIC MATTERS Grizzlies and US Highway 2 along Glacier NP

100 vehicles per hour (vph) are total grizzly bear barrier

- In 2001, 100 vph exceeded for 10 hours per day
- In 2013, 100 vph exceeded for 12 hours per day (9am-10pm)
- By 2018, 100 vph projected to exceed 15 hours per day



Case Study: Banff National Park, Alberta







- 44 WCs
- 5 design types
- 3 time periods (1985, 1997, 2011)
- Long-term monitoring (17+ years)
- Collateral parks wildlife research


Over and Under – Do species have preferences?

Wildlife Use of Banff Overpasses and Underpasses



Adaptation/Learning Curve









What about population demographics and genetics?

Do crossings do more than simply allow wildlife to pass safely? Banff NP Boundary Sampling Grid


Sawaya et al. 2013. Demographic connectivity for ursid populations at wildlife crossing structures in Banff National Park.

Conclusions: Genetic Connectivity



- TCH was associated with a genetic discontinuity for grizzly bears, but not black bears.
- Migration rates high enough to prevent genetic isolation.
- Many bears using crossings were successful breeders.
- Many grizzly bears using crossings structures were offspring of parents using crossings.
- Bears from both sides of TCH used crossing structures.







Size Matters


- All grizzlies selected larger structures overpasses & open spans
- Use has increased with time 17 years of data
- Family groups strongly selected overpasses

Most important finding:

"If PCA would have built only cheaper underpasses, demographic connectivity would have been severed"



Crossing Structures and Fencing: Findings from a meta-analysis



Short fences (≤5 km road length) had lower (52.7%) and more variable (0–94%) effectiveness in reducing collisions than long fences (>5 km) (typically >80% reduction);



Huijser, M. P., Fairbank, E. R., Camel-Means, W., Graham, J., Watson, V., Basting, P., & Becker, D. (2016). Effectiveness of short sections of wildlife fencing and crossing structures along highways in reducing wildlife—vehicle collisions and providing safe crossing opportunities for large mammals. *Biological conservation*, 197, 61-68.